

ELIOT Release 2 - SD-WAN / WAN Edge / uCPE Architecture Document

- [Introduction](#)
 - [Use Case](#)
 - [Where on the Edge](#)
- [Overall Architecture](#)
- [Platform Architecture](#)
 - [ELIOT Manager](#)
 - [ELIOT Portal](#)
 - [Node Monitoring](#)
 - [Network Controller & Node Resource Manager](#)
 - [ELIOT uCPE Edge Node](#)
 - [Container Metrics Collector](#)
 - [Container Runtime Environment](#)
 - [Kubelet](#)
- [Software Platform Architecture](#)
- [APIs](#)
- [Hardware and Software Management](#)
- [Licensing](#)

Introduction

ELIOT is "Enterprise Edge Lightweight and IOT" project under Akraino approved blueprint family and part of Akraino Edge Stack, which intends to develop a fully integrated edge network infrastructure and running edge computing applications on lightweight Edge Nodes. ELIOT targets on making the edge node a lightweight software stack which can be deployed on edge nodes which have limited hardware capacity by leveraging lightweight OS, a container running environment and container orchestration applications.

In addition, ELIOT stack focuses to have an infrastructure for edge computing which will enable high performance, high availability, security and reduce latency.

Use Case

uCPE (SD-WAN) - Enterprise WAN edge use of SD-WAN solutions or universal CPE (uCPE). In this use case, plan is to support following scenarios:

- Integrate tungsten fabric (vRouter in Node and controller in manager)
- SD- WAN demo

Industry Sector: WAN edge, enterprise, diverse IoT applications in various vertical market segments, Carrier

Where on the Edge

Many diverse business applications require a converged IoT gateway. Enterprise WAN edge use of SD-WAN solutions or universal CPU (uCPE)

Business use case

SD-WAN, WAN edge, uCPE

- Hybrid WAN
- Hybrid cloud deployment
- BYOD

Overall Architecture

ELIOT Architecture consists of an ELIOT Manager and multiple ELIOT Nodes. The scale of ELIOT (edge) Nodes can range from 1 single node to 10, 100, 10K or more.



ELIOT Manager is the central controller which manages the orchestration, life cycle, management and networking of edge nodes. It can be installed on a bare metal server or cloud VM with Ubuntu 16.04 /18.04 or Cent OS 7.5 version.

The node Kubernetes Master (kubeadm, kubectl, kubelet) to facilitate auto deploy, high availability, orchestration, self-healing of the ELIOT Edge nodes.


ELIOT Nodes - uCPE Node are Edge compute processing nodes which can be on a uCPE hardware or VM's. As the edge nodes can have restricted hardware resources of CPU , Memory etc,

Many cloud native monitoring applications can be used to collect container matrix and show them in a graphical manner, like cadvisor, grafana , prometheus.

(Note: The ELIOT SD-WAN / WAN Edge / uCPE Overall Architecture remains same as Release 1.0)



Platform Architecture



ELIOT Manager

ELIOT Portal

ELIOT Portal is new feature added on the ELIOT Blueprint which is currently applicable for both IoT Gateway and uCPE Blueprint. ELIOT Portal main objective is use to have a dashboard for operations and management of ELIOT Cluster. It consists of ELIOT UI and ELIOT API Gateway.

In Release 2.0 the portal is giving the following operations:-

1. Display ELIOT Nodes
2. Display ELIOT Services
3. Display ELIOT PODS.

Other options like Application Deployments, are currently in design phase, which will be developed for future releases.

Node Monitoring

Node Monitoring main task is to collect the container performance metrics from various IoT Gateway Nodes and display on a dashboard in graphical representation.

Network Controller & Node Resource Manager

The core part of the ELIOT Cluster which controls the Node health, high availability , overlay networking , cluster management. To manage the same Kubernetes and KubeEdge are being used for Node Resource Management with Calico for Container Networking.

ELIOT uCPE Edge Node

Container Metrics Collector

The module collects the various metrics of containers running on the Node and sends to collector which is running on ELIOT Manager node. The data metrics include CPU Usage, Memory Consumption etc of each containers running on the Edge Node.


Container Runtime Environment

Container Runtime provides the platform to run the containerized applications on ELIOT Edge Nodes. Currently Docker is being used as the platform, in future plans are to use lightweight container runtime environment like Containerd.

Kubelet

For maintaining a set of pods running on ELIOT Cluster, which are composed of one or more containers, on a local system. Within a ELIOT cluster deployed with kubernetes, the kubelet functions as a local agent that watches for pod specs via the Kubernetes API server.

Software Platform Architecture



ELIOT Manager

S. No.	Software Name	Type	Version	Remarks
1.	Ubuntu	OS	16.04	IoT Gateway Blueprint supports both Ubuntu and Cent OS
2.	CentOS	OS	CentOS 7 or greater	IoT Gateway Blueprint supports both Ubuntu and Cent OS
3.	Docker	CRI	18.06	
4.	Kubernetes	Orchestration	1.16	
5.	Prometheus	Monitoring		Running as Docker Container
6.	JDK	Development	1.8	ELIOT Portal API Gateway

ELIOT Edge Node - uCPE Node

1.	Ubuntu	OS	16.04	IoT Gateway supports both Ubuntu and Cent OS
2.	CentOS	OS	7 or greater	IoT Gateway supports both Ubuntu and Cent OS
3.	Docker	CRI	18.06	
4.	Kubernetes	Orchestration	16.0	When Kubernetes is being used for the IoT Gateway Blueprint
8.	cAdvisor	Container Metrics	Latest Container version in Docker Hub	Running as Docker Container.

APIs

Not Applicable

Hardware and Software Management

Not Applicable

Licensing

- GNU/common license