UI User Guide

1. Overview

The Blueprint Validation User Interface (Bluval UI) provides a user-friendly way for displaying blueprints validation test results. Based on these results, the status of a blueprint can be determined (mature, incubation state, etc.).

It is a web application based on ONAP portal SDK, version 2.4.0 (Casablanca). It consists of the front-end and back-end parts. The front-end part is based on HTML, CSS, and AngularJS technologies. The back-end part is based on Spring MVC and Apache <u>Tomcat</u> technologies.

2. Bluval UI overview

The Bluval UI can be reached in the following address:

https://bluval.akraino.org

The login page is displayed in Figure 1.



Figure 1. Bluval UI login page

The user must apply for an appropriate account creation. Details about the user account creation can be found in subsection 12.1.

When a user logs in, a redirection is performed towards the landing page displayed in Figure 2.

€ → C () # Montatran	marg/stools/prevolvent		\$ O @	¶s4 ■ ■ 0 ■ ●
ACCANO Blueprint	Validation UI Manage Support			Los
·	Get Most Recent E	3lueprint Validation Results		1
Consider Subvisions Validation Results	Betech Lab	\sim		/
Continuent and and Continue formations Continuent and	Select Buspriet Version			/ Login id
Register data	OR		Title of the menu	-
Unregister data			item / sub-item	
Contrasts Contrasts		Sub-items of a menu		
	Menu items	item		
		for fast of the function		

Figure 2. Bluval UI landing page

The general format of a Bluval UI page is the following:

- Display of the menu items. This is depicted in the left side of a page, as shown in Figure 2.
- Display of the selected menu sub-items. This is depicted under the selected menu, as shown in Figure 2.
- Display of the title of the selected menu item / sub-item. This is shown in the upper part of a page, as is illustrated in Figure 2.
- Display of the user's login id. This is shown in the upper right part the page, as is illustrated in Figure 2.

The logout process is supported by clicking on the login id and then on log out button.

3. Using the "Validation Results" menu

The "Validation results" menu is used for retrieving blueprint validation results from Nexus.

This menu is available for the following roles: admin, TSC member, Lab owner.

The "Validation Results" menu includes four sub-items, namely "Get most recent", "Get by timestamp", "Get last run" and "Get based on dates".

3.1 Get most recent

This sub-item should be selected when the most recent validation results of a blueprint are needed. Currently, the last 100 results are retrieved and displayed. The corresponding page is depicted in Figure 2. It should be noted that this page is also used as the landing page of the Bluval UI.

A user should define the following data:

- This defines the lab in which validation results will be searched.
- This defines the blueprint for which results will be displayed.
- Selected Blueprint version. This defines the version of the blueprint for which results will be displayed.

When the button 'Get' is clicked, the page shown in Figure 3 is illustrated.

6 -> 0 0 . H	alakaine	ang blocals, halidations	sult#?ab+attbblasprin	Name-reclosesion-made	r				*	0 9 🐁 4	
A STATE FINES	veprint V	Aslidation UI 🛛 🕷	lanage Support								1.00
Hone	٠ -	Blueprin	t Validatio	on Results				Filters			
New Submission											
Committed Submissions	_ <	Burprint layer. So	arch for layer?	Result Search	for result?	Timestamp: Search	for timestamp?				Refresh
Validation Results	+					Date Time of reads					
Register data	+	Lab	Bhoprist	Version	Timestamp	anala 🔶	Optional test cases	All layers	Laparbó	M	Result
Unvegator data	+	at .	HEC	master	20191202-153217	Mon Dec 02 15 48 51 UTC 2019	false	false	xds		FALURE
Modly data	+	**	rec	master	2010/110-10/211	Tue Nov 19 19 12 35 UTC 2019	false	false	kla		FALURE
Get data	+	at	rec .	master	20191119-190725	Tue Nov 19 19 07 34	false	false	kðs		TALLER
Users	+										
Update password		**	rec	master	2010/113-171545	Vied Nov 13 19 18 04 UTC 2019	false	false	ada		SUCCESS
Sample Pages	+	at.	HEC .	master	20191112-172842	Tue Nov 12 19 43 17 UTC 2019	false	false	kda		FALLINE
Reports	*	-	rec .	master	20191112-171454	Tue Nov 12 17 25 51 UTC 2019	false	false	xds.		TALLER
riose .	•										
Admin	*	at .	HEC	master	20191112-162425	UTC 2019	Table .	tabe	KD5		FALLINE
		**	rec .	master	20191106-212036	Tue Nov 12 16:24:24 UTC 2019	false	false	k0s		SUCCESS
		at.	PEC	master	20191030-101100	Wed Oct 30 18 11 23 UTC 2019			kla		FALURE
		-	100	master	20191030-174625	Wed Oct 30 17:53 10 UTC 2019			kla		TALUTE
		*	HEC.	masher	20191030-174105	Wed Oct 30 17:41:08 UTC 2019			kin		FALURE
		**	reci.	master	20191030-160630	Wed Oct 30 16 14 15 UTC 2019	false	false	docher		SUCCESS
		at	FRC	master	20191030-144849	Wed Oct 30 14 51 36	faise	failure	05		-

Figure 3. Display of the Blueprint validation results

The user can use the following filters on the results, as is depicted in Figure 3:

- Blueprint layer. The layer of the blueprint
- The overall outcome of the test execution ('SUCCESS' or 'FAILURE')
- The timestamp associated with a result

Moreover, the following data is displayed for each result, as shown in Figure 3:

- The lab
- The Blueprint name
- The Blueprint version
- · The timestamp associated with the result
- The date and time of the result creation
- Whether the optional test cases have been used
- · Whether all layers of the blueprint have been used

- The used blueprint layers
- The submission to which this results is associated
- The overall outcome

It should be noted that the user can be further informed about a result by clicking on the button available in the 'result' column. Then, the modal illustrated in Figure 4 will be displayed, based on which the user can select a specific test suite of a layer to be demonstrated.

	ine orgitizatio/solidationersalts	Phileothildepretiumewook	versions matter			a 🖈 🧿 e 🐁 4	a a o 🖬 🧶 i
Autor mark Bluepri	int Validation UI Mana	pe Support					Later
A New Delawares	alidation Res	ults					
Display Te serect a bluepret lays Mo Select a test suite of t	est Suites Re er: the selected layer in order	sults to be displayed:					
-							
Allen (a)		musler			false.	th.	FALLERS.
		maslar			latur .	ste	TALLAS
		master			failue .		9000255
		master				-	TALURE
	mc.	master	2010/020-174805	2010 Oct 30 17 53 10 UTC		-th	PALLINE

Figure 4. Selection of test suites

Next, details based on these selections will be listed, as is illustrated in Figure 5. Some of these details are the following: test statistics, test execution log and sub-suite robot keywords. The user can hide or show details about the last two items by clicking on them.

Sector and Sector								
ALCOLOGICAL DESIGNATION OF THE OWNER OWNER OF THE OWNER								
iane contomance								
Severated 2019111/3 17:10	5.46.261							
Senerator: Robot 3.1.2 (Py	than 3-5.9 on linux)							
and the second sec								
fest Statistics								
Tool statistics	Total	Pass	Fall		fass/fail			
Critical Texts	1	1	0	•				
All Tests			•					
Statistics by Tag — To	tar Paes Fail	Pass (Fat						
Statistics by Tag 10	ui Pass Fail	Pass (Pas		Pass		74	Pass (Fail	
Statistics by Tag To Statistics by Suite Conformance	or Paus Fail	Pass (Pat Soul		Pass		Past	Pass : Pat	_
Statistics by Tag To Statistics by Sulle Conformance Conformance Conforma	or Pass Pat	Pass : Fast Total T		Pmo 1		Pail 0 0	Pasa (Fat	_
Stanson by Tag to the Statistics by Sulle Conformance Conformance	or Pass Par	Paus (Pat Total 1		Pass 5		Pat 0 0	Pasa (Pat	=
Stanston by Tag Ta Statistics by Sulle Carliermance Carliermance Carliermance	04 Paos Paol 807	Pass (Pat Sutar 1		Pass 5		Pat 0 0	Pass (Fat	=
Stanston by Tag Ta Statistics by Sulle Carltomatics Carlt	ece Paes Pael	Pees (Pail Subal 1		Pass 5		Pat 0 0	Pera (Fat	-

Figure 5. General Info, Test statistics and Test execution log of a test suite

By scrolling down, the test cases section is shown. Here, details about the test cases of the test suite are depicted, as is illustrated in Figure 6.

The st of	N						
(and a	24043						
rue	Name	Documentation	Status	Start Time	End Time	Critical	Message
Run	Senabury Conformance Test		PASS	20101113 17:10.46.626	20101113 10:10:00.077	yes	
					· ·		
_							
Robo	t keywords of the selected test	case					
Run Ke	Type setup						
	Library: Builtin						
	Documentation: Executes all the give	en keywords in a sequence.			6-1-		
	Start time: 20191113 17.15.45.525				Sele	cted test case	
	End time: 20191113 17:17:24.618						
	Status PASS			Robot keywords			
	Used Robot Reywords:						
Check	Put Ms cluster is reachable Type						
	Library:						
	Documentation:						
	Start time: 20191113 17:18:46:527						
	End time: 20191113 17:15 46:626						
	Status PASS						
	Used Robot keywords:						
144 514	Type:						
	Library: OperatingBystem						
	Documentation: Fails if the specified	directory is empty.					
	Start Sine: 20191113 17.10.46.527						

Figure 6. Test cases of a test suite

By clicking on a specific test case, the user can be informed about the used robot keywords of this case.

3.2 Get by Timestamp

This sub-item should be selected when only a result is needed whose timestamp is known. The corresponding page is depicted in Figure 7.

A user should define the following data:

- This defines the lab in which validation results will be searched.
- This defines the blueprint for which results will be displayed.
- Selected Blueprint version. This defines the version of the blueprint for which results will be displayed.
- This defines the timestamp associated with the result.

When the button 'Get' is clicked, the same workflow should be used as with the one described in the subsection 3.1.

	+ - C O	- Maler	ine.egg.fol.volut/prity/inexturp	\$ 0	2 9	4	 0.8	•
		lueprir	nt Validation UI Manage Support				1.	
•	Home	¢	Get Results By Timestamp					
•	New Submission							
•	Committee Submissions		Beled Lulo					
•	Valdation Results	٠	field Burgert					
٠	Repoter data	+						
٠	Unvegister data	+	Teach (redinar second					
٠	Modify data	٠	Define Timeslamp					
٠	Get data	+	_					
٠	Users		Get					
٠	Update password							
•	Sample Pages							
٠	Reports	٠						
٠	Profe							
•	Admin	٠						

Figure 7. The page of "Get by timestamp" sub-item.

3.3 Get last run

This sub-item should be selected when the last result associated with the combination of the following data is needed:

- This defines the lab in which validation results will be searched.
- This defines the blueprint for which results will be displayed.
- Selected Blueprint version. This defines the version of the blueprint for which results will be displayed.
- Blueprint layer
- Whether optional test case have been used
- The overall outcome

The corresponding page is shown in Figure 8.

When the button 'Get' is clicked, the same workflow should be used as with the one described in the subsection 3.1.



Figure 8. The page of "Get last run" sub-item.

3.4 Get results based on date

This sub-item should be selected when the results associated with the combination of the following data is needed:

- This defines the lab in which validation results will be searched.
- This defines the blueprint for which results will be displayed.
- Selected Blueprint version. This defines the version of the blueprint for which results will be displayed.
- Date of the result creation

The corresponding page is shown in Figure 9.

When the button 'Get' is clicked, the same workflow should be used as with the one described in the subsection 3.1.

€ → C O	val ukraine.org/the shull petrosection tarts	0 0 0 % 4 B = 0 B 0					
	ueprint Validation UI Manage Support	Latrin					
Home	Get Results Based on Date						
New Submission							
Committee Submissions	ferent Lab						
Validation Results	* Seed Burght						
 Regular data 	* Test Rest Test						
Unregister data	*						
Modify data	+ Beied Date mm/dd/yyyy						
Oct data							
Users	(a) (b)						
Update password							
Sample Pages	*						
Reports							
Pole							
e Admin	*						
	Capyopt 100-Name Edge Root and Jan Francisco						

Figure 9. The page of "Get based on dates" sub-item.

4. Using the "New Submission" menu

TBD

5. Using the "Committed Submissions" menu

6. Using the "Register data" menu

The "Register data" menu is used for registering data within the context of the Bluval UI. It should be noted that this UI automatically registers data based on the results fetched from Nexus. This menu should be used as a complementary feature.

This menu is available for the following roles: admin, and TSC member.

The "Register data" menu includes five sub-items, namely "Lab", "Blueprint", "Layer", "Timeslot" and "Blueprint Instance".

6.1 Lab

Here, the labs and their silos can be registered, as shown in Figure 10.

4	C Q	al alcain	No ang Micrahid ng Khanika	* 2	0	ə 🐁 4	0 🖬 🔵
	ARRENTING BRU	eprint	Validation UI Manage Support				1.00
	Hame	¢	Register Lab				
	New Submission		•				
•	Committed Submissions		Define lab name				
٠	Validation Results	•					
٠	Register data	•	0434 90 90				
٠	Unvergeller data	•					
٠	Monthly data	+	Register				
٠	Get data	+					
٠	Users	•					
٠	Update password						
•	Sample Pages	+					
٠	Reports	+					
ł.	Profile	+					
•	Admin	+					

Figure 10. The page of "Register Lab" sub-item

Only then can the Bluval UI retrieve results from Nexus associated with a lab.

6.2 Blueprints

TBD

```
6.3 Layer
```

TBD

6.4 Timeslots

TBD

```
6.5 Blueprint Instances
```

TBD

7. Using the "Unregister data" menu

TBD

8. Using the "Modify data" menu

TBD

9. Using the "Get data" menu

TBD

10. Using the "Users" menu

TBD

11. Using the "Update password" menu

The "Update password" menu is used for updating the password of a specific user. This menu is available for the following roles: admin, TSC member and Lab owner.

Its page is shown in Figure 11.



Figure 11. The page of the "Update password" item.

The following data must be defined:

- Login id. The Login id of the user whose password needs to be updated
- Old password. The old password of the user
- New password. The new password of the user

12. Appendix

12.1 Bluval UI user account creation

The following information is needed in order for a user account to be created:

- Login id. This is the desired user id
- Please refer to subsection 12.2 for the supported roles.

An email should be sent to <u>featureprojects@lists.akraino.org</u> with the aforementioned information. If the corresponding user account is approved, a confirmation email will be sent back with the initial user password. When the user is logged in, this password should be changed using the 'Update password' menu tab (refer to subsection 11).

12.2 Roles

Currently, the following roles are supported by the Bluval UI:

- Admin. This role can be assigned only to one user, namely the admin user. It gives full control of the Bluval UI. This role supports the following features:
 - ° Submission of a blueprint for validation
 - Retrieval of blueprint submissions
 - Retrieval of validation results
 - ° Registration of data, such as lab, blueprint, blueprint instance, layer and timeslots
 - · Un-registration of data, such as lab, blueprint, blueprint instance, layer and timeslots
 - ° Modification of data, such as lab, blueprint, blueprint instance, layer and timeslots
 - ° Data retrieval, such as lab, blueprint, blueprint instance, layer and timeslots
 - ° CRUD operations on user account data
 - Update of the current user password
 - Creation of roles
- TSC Member. This role can be assigned to multiple users. It supports the following features:
 Submission of a blueprint for validation
 - Retrieval of blueprint submissions
 - Retrieval of validation results
 - Registration of data, such as lab, blueprint, blueprint instance, layer and timeslots
 - Un-registration of data, such as lab, blueprint, blueprint instance, layer and timeslots
 - Modification of data, such as lab, blueprint, blueprint instance, layer and timeslots
 - Data retrieval, such as lab, blueprint, blueprint instance, layer and timeslots
 - Update of the current user password
- Lab owner. This role can be assigned to multiple users. It supports the following features:
 - Retrieval of validation results
 - ° Data retrieval, such as lab, blueprint, blueprint instance, layer and timeslots
 - Update of the current user password