

Task (todo/done)

Tasks (for the team):

#	Task name	Details	Creation date	Completion date	Assignee	Status
-	Voting for BP	Request and follow up voting process.	21 Sep 2020	22 Sep 2020	Asif Mehmood	✓
Project Approved: 22 Sep 2020						
-	Request for PTL	Request to initiate the PTL.	01 Oct 2020	01 Oct 2020	Asif Mehmood	✓
Asif Mehmood got elected as PTL: 08 Oct 2020						
-	Setup PM	Setup the Physical Machine: • Ubuntu 20 (ubuntu-20.04.1-desktop-amd64) ✓	30 Oct 2020	30 Oct 2020	Asif Mehmood	✓
-	Create 3 VMs	1. Setup an hypervisor a. verify virtualization enabled ✓ b. install kvm/libvirt ✓ 2. Create a network for VMs ✓ 3. Create 4 VMs (at start 3 VMs are enough) ✓ a. 192.168.122.11 - Master ✓ b. 192.168.122.101 - Vehicles/RSU(s)/BS(s) c. 192.168.122.111 - Edge-1 ✓ d. 192.168.122.211 - Edge-2 4. Test VMs connectivity ✓	06 Nov 2020	10 Nov 2020	Asif Mehmood	✓
-	Setup K8s cluster	Setup a Master and two worker nodes (links: link-1 , link-2 , etc) 1. disable swap (persistently) 2. setup the Multus as a CNI (using this link-1) 3. note down the available IP-ranges for container applications: a. range: w.x.y.z/a	06 Nov 2020	17 Nov 2020	Asif Mehmood	⚠
-	Setup Jenkins	Setup Jenkins on PM.	02 Nov 2020	24 Nov 2020	Asif Mehmood	⚠
-	Connect LF Server	Integrate the Linux Foundation Servers.	02 Nov 2020	24 Nov 2020	Asif Mehmood	⚠
-	Push CI/CD logs	Confirmation of the CI/CD logs	02 Nov 2020	24 Nov 2020	Asif Mehmood	⚠
-	Explore socket programming protocols in python	Explore the containers inter/cross domain protocol options to enable communication among each other.	01 Oct 2020	18 Dec 2020	Asif Mehmood	⚠
-	Explore/Research K8s network options	Explore the networking plugin options that can be used in our proposed scenarios of vehicles: • Multus (multiple virtual interfaces) • OpenShift-SDN CNI • Links ◦ Multus link ◦ OpenShift-SDN link • etc	01 Oct 2020	18 Oct 2020	Asif Mehmood	⚠
-	Explore routing in DSRC-based communication	DSRC range: • RSU - 300m (link) • Vehicle - 15m (link) Routing considerations with DSRC/LTE both: • SDN-based routing application • Multi-hop approach (using tables)	28 Oct 2020	18 Dec 2020	Asif Mehmood	⚠

-	Documentation (pages & subsections)	<ol style="list-style-type: none"> 1. Architecture - figures/explanation ✓ 2. Components - figures/explanation 3. Scenarios - figures/explanation <ul style="list-style-type: none"> a. simple diagram to understand the scenarios ✓ b. technical aspect of the proposed scenarios 4. V2X Communication - figure/explanation ✓ 5. Implementation - plan/approach <ul style="list-style-type: none"> a. container vehicles b. maps (Jeju/Udo islands) ✓ c. proximity services d. broadcast content e. epc on the edge sites f. location prediction model g. sdn 6. Relevant Blueprints ✓ 7. Contributors ✓ 8. References ✓ 9. Ask Questions - table of questions ✓ 10. Tasks ✓ 	01 Oct 2020	18 Dec 2020	Asif Mehmood	
-	Vehicle-info container (start/boot-priority = 1)	<ol style="list-style-type: none"> 1. Design the database 2. Develop the scripts to create the database 3. Containerize it into the docker hub ✓ 4. Setup a (dbeaver) plugin to access container database <ul style="list-style-type: none"> a. Windows ✓ b. Ubuntu 5. Expose the port (or make it accessible on some portal) 	26 Oct 2020	18 Dec 2020	Asif Mehmood	
-	Map container (start/boot-priority = 2)	<ol style="list-style-type: none"> 1. Downloaded .osm/.mbtile formatted files for Jeju/Udo Island ✓ 2. GIS-based maps <ul style="list-style-type: none"> a. set locally ✓ b. containerize it (Folium-based map server) ✓ c. find .shp for Jeju/any city/area d. use wgs84/epsg4326 format (geojson) e. traffic data for vehicles (Jeju/any) f. pandas, geopandas, folium g. graphical analysis of traffic (map/graphs) h. interactive layers (i.e. ____) 3. Setup the OpenStreetMap (PostgreSQL). Steps to setup locally. <ul style="list-style-type: none"> a. on local system b. containerize it c. make it accessible to the cars 4. Analyze/correct the .osm maps for Jeju/Udo Islands 5. Search ways for creating roads, intersection etc 6. Implement roads, intersection etc 7. Explore implementation options to dynamically move container vehicles <ul style="list-style-type: none"> a. Consider the RSUs/BSs in this architecture 	10 Oct 2020	18 Dec 2020	Asif Mehmood	
-	Vehicle container(s) (start/boot-priority = 3)	<u>Specifications:</u>	07 Oct 2020	18 Dec 2020	Asif Mehmood	

1. Vehicle Class ✓

2. Attributes ✓

- a. name
- b. curr_location [long., lat.]
- c. junction_location [long., lat.]
- d. curr_velocity [m/s]
- e. direction [N/E/S/W/NE/ES/SW/WN]
- f. possible_moves [N/E/S/W/ES/SW/WN]
- g. net_d2d
- h. net_d2b
- i. net_d2p
- j. range_of_net_d2d
- k. etc.

3. Methods:

- turn

Inputs	Outputs	Actions /Effects	Description
<ul style="list-style-type: none"> ◦ vehicle id ◦ direction 	next location	decrease velocity decelerate by some factor while turning update the location#	

• accelerate

Inputs	Outputs	Actions /Effects	Description
<ul style="list-style-type: none"> ◦ vehicle id ◦ direction ◦ acceleration factor 	new location	increase velocity update the location#	

• broadcast

Inputs	Outputs	Description
<ul style="list-style-type: none"> ◦ vehicle id ◦ bits 	none	The udp client will be responsible to broadcast the traffic to the gateway. The proximity/other service at the edge node is responsible to decide on which edge nodes does the traffic need to be broadcasted

• park/stop

Inputs	Outputs	Actions /Effects	Description
		decrease velocity to zero update the location#	


• update the location

Inputs	Outputs	Actions /Effects	Description

• sync. location to proximity server

Inputs	Outputs	Actions /Effects	Description
<ul style="list-style-type: none"> ◦ vehicle id ◦ location 	response of success /failure	vehicle location must be updated on the proximity server	updates the current location to server after every 2 seconds.

• etc.



Method details:

		<ul style="list-style-type: none"> 1. Turn (to describe) 2. Accelerate (to describe) 3. Broadcast (to describe) 4. Park/Stop (to describe) 5. Update the location 6. Sync. the location to proximity server 7. etc. 				
-	Map data processing/analysis	<ul style="list-style-type: none"> 1. Junctions 2. Locations 3. Road track points 4. etc. 	29 Oct 2020	24 Nov 2020	Asif Mehmood	
-	Proximity Service design with specifications	<ul style="list-style-type: none"> 1. Specify the criteria of updating locations of container vehicles 2. Describe the selected standard approach for implementing proximity service 	08 Oct 2020	18 Dec 2020	Asif Mehmood	
-	Information: CVB vehicle implementation	Ask CVB team, what analogy do they use to create vehicles/devices.	27 Oct 2020	18 Dec 2020	Asif Mehmood	
-	SDN Controller	<ul style="list-style-type: none"> 1. OpenShift 2. μONOS 3. others 	28 Oct 2020	18 Dec 2020	Asif Mehmood	
-	Northbound Routing Application (container)	<ul style="list-style-type: none"> 1. Explore the OpenShift-SDN CNI 2. Routing logic as a Northbound application 3. Apply routing to: <ul style="list-style-type: none"> a. vehicle container network interfaces b. RSU container network interfaces 4. Test the validity of routing 	13 Oct 2020	18 Dec 2020	Asif Mehmood	
-	SDN-to-SDN communication	<ul style="list-style-type: none"> 1. East-west communication 2. Mechanism to share information 	27 Oct 2020	18 Dec 2020	Asif Mehmood	
-	Location Prediction	<ul style="list-style-type: none"> 1. Finding datasets <ul style="list-style-type: none"> a. real-time b. simulated link-1, link-2, link-3 2. Processing/Analyzing datasets 3. Model details <ul style="list-style-type: none"> a. architecture? b. models: <ul style="list-style-type: none"> i. model A: <ul style="list-style-type: none"> 1. input(s): 2. output(s): ii. model B: <ul style="list-style-type: none"> 1. input(s): 2. output(s): iii. model C: <ul style="list-style-type: none"> 1. input(s): 2. output(s): iv. model D: <ul style="list-style-type: none"> 1. input(s): 2. output(s): v. model E: <ul style="list-style-type: none"> 1. input(s): 2. output(s): 4. Training <ul style="list-style-type: none"> a. training/testing data split b. training details 5. Testing <ul style="list-style-type: none"> a. testing time b. testing analysis 6. Validation/Verification <ul style="list-style-type: none"> a. define the validation metrics b. define the verification mechanism 7. Exposing model REST API(s) <ul style="list-style-type: none"> a. define the endpoints <ul style="list-style-type: none"> i. define/document the JSON formats required 8. Integration (basic) 9. Integration (testing functionality) 	16 Oct 2020	18 Dec 2020	Muhammad Saqib	
-	Configurations	<ul style="list-style-type: none"> 1. Docker-compose 2. Helm charts 	27 Oct 2020	18 Dec 2020	Asif Mehmood	

-	Scripts	<ol style="list-style-type: none"> 1. Installation of basic packages: <ol style="list-style-type: none"> a. script to install kvm/libvirt b. script to install ansible c. script to install vagrant 2. Provision the infrastructure using: <ol style="list-style-type: none"> a. vagrant (primary option) b. ansible (secondary option) 3. To setup K8s cluster - using Ansible scripts: <ol style="list-style-type: none"> a. write a script to download/start 3 VMs b. write a script to install master/worker nodes node remotely c. write a script to setup the CNI plugin (if possible, configured with the chosen SDN controller) 4. To bring up the applications - using Helm-charts/Docker-compose: <ol style="list-style-type: none"> a. ml model b. sdn controller c. container mapserver d. container proximity- service e. container vehicle f. routing ml application 5. To deploy the SDN Northbound application - using ... 	27 Oct 2020	18 Dec 2020	Asif Mehmood	
-						
-	Versions using for the blueprint	<ol style="list-style-type: none"> 1. Ubuntu: <ol style="list-style-type: none"> a. Host: <i>Ubuntu 20.04 LTS: Focal Fossa</i> b. VMs: <i>Ubuntu 20.04 LTS: Focal Fossa</i> 2. Hypervisors: <ol style="list-style-type: none"> a. <i>Qemu-kvm/libvirt: 4.2.1/6.0.0</i> b. <i>Virtualbox: 6.1.16</i> <ol style="list-style-type: none"> i. platform packages: <i>6.1.16 (link)</i> ii. Oracle VM virtualbox extension pack: <i>6.1.16 (link)</i> 3. Infrastructure provisioners: <ol style="list-style-type: none"> a. vagrant <i>2.2.13</i> <ol style="list-style-type: none"> i. follow this link to solve secure boot problem using certificates 4. K8s: <i>v1.18.12 (binaries link)</i> <ol style="list-style-type: none"> a. kubectl: b. kubelet: c. kubeadm: 5. Multus-CNI: <i>v3.6</i> (GitHub tag) 6. Docker: <i>19.03.12</i> <ol style="list-style-type: none"> a. sudo apt-get install docker-ce=5:19.03.12~3-0~ubuntu-focal 7. Ansible: <i>2.9.6</i> 8. ONOS: 9. Python: <i>3.8.x (x=1-to-5)</i> <ol style="list-style-type: none"> a. Dockerfile: <i>python-3.8.1</i> b. Ubuntu host: <i>python-3.8.5</i> 10. etc: 	12 Nov 2020	30 Apr 2021	Asif Mehmood	
-	Setup KubeEdge-based K8s cluster	KubeEdge-based cluster with the above specified configuration	04 Jan 2021	30 Apr 2021	Asif Mehmood	
-						
-	Future considerations/directions: <ul style="list-style-type: none"> • MEC-based runtime resource orchestration /provisioning • Data analytics • Autonomousity • Much more... 				Asif Mehmood	