

Video Security Monitoring R5 Test Document

- [Introduction](#)
- [Test Requirements](#)
- [Test Architecture](#)
- [Test Steps](#)
 - [Step 1: Run OTE web platform via your browser and create a user for testing](#)
 - [Step 2: Create a new application and deploy it to root edge cluster](#)
 - [Step 3: Check if the application have deployed](#)
 - [Step 4: Test the application](#)

Introduction


In this document, we will give a guide about deploying an application step by step in OTE-stack platform on AI Edge for testing.

Test Requirements

3 Arm servers for IEC edge infrastructure and another server which have installed harbor are needs. A face recognition application, which can be found at <https://hub.docker.com/r/otestack/face-detect-demo>, is used to validate the functions of the OTE. Before start testing, you need to push the image to the harbor server.

Test Architecture

For test architecture, We use one IEC edge cluster with 3 nodes as the basic infrastructure and install the OTE-stack platform in it. After everything is ready, we test the function of deploy a application through the OTE website which is installed in the master node of IEC cluster.




In this test scenarios, a face recognition application will be deploy to the IEC cluster via browser. The app is a server that detects the face in an image sent by client and outputs the position of objects. The usage of the server is shown in Step 4.

Test Steps

Step 1: Run OTE web platform via your browser and create a user for testing

- After everything is installed successfully(In terms of the detail installation, refer to [Video+Security+Monitory+R3+Installation+Document](#)), open browser on PC and visit the website: IP Address + 8995(Port Number).
- Create a new user `testuser` and audit it by administrator account at system management page.
- Create a new business with the new logged-in user and audit it by administrator account too. Then, a new namespace named ns1 related to the business will be created in all cluster managed by OTE.

- And now you can browse the overview page which contains information of node and resource usage with new user.



- Furthermore, you can view more informations about edge cluster and node under the admin account.

The screenshot shows the OTE Clusters page. The left sidebar contains navigation links: Register Audit, Business Audit, Clusters, Configuration, Deploy Audit, Operations, and System Logs. The main content area displays a table of clusters with the following data:

Name	Node Count	Status	OP
root	3	Online	Detail View

At the bottom of the table, it says 'Select 0 / total 1 items' and '10 per page'. There are also navigation links for 'Goto 1'.

The screenshot shows the OTE Nodes page. The left sidebar contains navigation links: Register Audit, Business Audit, Clusters, Configuration, Deploy Audit, Operations, and System Logs. The main content area displays a table of nodes with the following data:


Name	Status	OS	Kernel	IP	OP
ubuntu01-root	Online	linux	4.15.0-76-generic	192.168.122.101	Detail
ubuntu02-root	Online	linux	4.15.0-76-generic	192.168.122.100	Detail
ubuntu03-root	Online	linux	4.15.0-76-generic	192.168.122.103	Detail

At the bottom of the table, it says 'Select 0 / total 3 items' and '10 per page'. There are also navigation links for 'Goto 1'.

Step 2: Create a new application and deploy it to root edge cluster

- First, create a registry account at page "Image Repository" and then add a new project "arm-test" for creating a new repository address "your_harbor_address/arm-test". The new user account will be used to log in to the harbor registry and push/pull the images from registry.
- Run docker cli in command terminal and push the prepared demo image to the registry with the user account just created.

- Open the page "Application management" and click the button "new application".



- Create new application template by fill below informations.

Create App

Required

Name

test-demo

Project

arm-test

Mode

Deployment

Replicas

1

Min CPU

100

%

Min Mem

128

MB

MaxUnavailable

0

External Repo

Image

ote-harbor.baidu.com/arm-

arm64

Version

1

*

0

MinReadySeconds

10

s

Max CPU

400

%

Max Mem

16

GB

MaxSurge

1

Option

Port: Instance

8080

Host

0

Communicate Env: Key

Project key

Name

Port

Volume: Path

HostPath

Read

Env


key

:

value

Command

- Deploy above application to specified edge cluster and check the result of deployment by refreshing page.



Step 3: Check if the application have deployed


- SSH to the master node of edge cluster or copy the kubeconfig file related to edge cluster to \$HOME/.kube .
- Run command `kubectl get svc,pod -n ns1` to check if the pod is running well. The below figure shows the portal of demo and we can access the demo through 10.247.22.115:8080.

```
> kubectl get svc,pod -n ns1
```

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/ns1-demo	ClusterIP	10.247.22.115	<none>	8080/TCP	4m23s

NAME	READY	STATUS	RESTARTS	AGE
pod/ns1-demo-86f6cc478d-p2ljk	1/1	Running	0	4m23s

- If the application have deployed, the resource usage will be collected to OTE. The page "Data query" will show the informations of the running application.



Step 4: Test the application

- Prepare a picture for face detection, for example: <http://aip.bdstatic.com/portal-pc-node/dist/1590550949362/images/technology/face/detect/demo-card-2.jpg>
- Send request to the face server through the ip:port got by last step

```
$ # prepare image
$ wget http://aip.bdstatic.com/portal-pc-node/dist/1590550949362/images/technology/face/detect/demo-card-2.jpg
$ # make a request
$ image=demo-card-2.jpg
$ echo '{"image": "${base64 -w 0 $image}"}' > data.json
$ curl -X POST 10.247.22.115:8080/face_detect -d@data.json
{"objects": [{"location": {"x1": 898, "y1": 217, "x2": 1154, "y2": 518}, "prob": 0.9999696016311646}, {"location": {"x1": 444, "y1": 331, "x2": 700, "y2": 657}, "prob": 0.9997757077217102}]}
```