

PCEI R6 Test Document

- [Introduction](#)
- [Overall Test Architecture](#)
 - [Test Bed](#)
 - [Test Framework](#)
 - [Traffic Generator](#)
- [Test API description](#)
 - [Akraino common tests](#)
 - [The Test inputs](#)
 - [Test Procedure](#)
 - [Expected output](#)
 - [Test Results](#)
 - [Blueprint extension tests](#)
 - [The Test inputs](#)
 - [Test Procedure](#)
 - [Expected output](#)
 - [Test Results](#)
 - [Feature Project Tests](#)
 - [The Test inputs](#)
 - [Test Procedure](#)
 - [Expected output](#)
 - [Test Results](#)
 - [BluVal Tests](#)
 - [The Test inputs](#)
 - [Test Procedure](#)
 - [Expected output](#)
 - [Test Results](#)
 - [Vuls](#)
 - [Lynis](#)
 - [K8S Conformance](#)
 - [Kube-Hunter](#)
- [Test Dashboards](#)
- [Additional Testing](#)
- [Bottlenecks/Errata](#)

Introduction


This document describes tests that were performed for PCEI R4:

1. PCEI Deployment Tests
2. PCEI End-to-End Validation Tests
3. BluVal Tests

Overall Test Architecture

Describe the components of Test set up

Test Bed



Test Framework

1. PCEI Deployment Tests

Described in the [PCEI R6 Installation Guide](#)

1. PCEI End-to-End Validation Tests

Described in the [PCEI R6 End-to-End Validation Guide](#)

1. BluVal Tests

Described in the BluVal Test section of this document.

Traffic Generator

Not used.

For end-to-end functional verification, a simulated IoT Client was provided. Please refer to [PCEI R6 End-to-End Validation Guide](#).

Test API description

Test APIs NOT USED (except BluVal Robot)

Akraino common tests

NOT PERFORMED

The Test inputs

Test Procedure

Expected output

Test Results

Blueprint extension tests

The Test inputs

Test	Description	Result	Reference
EMCO Deployment, CDS, CBA	Install EMCO Orchestrator	Pass	PCEI R6 Installation Guide
Edge Cluster Deployment	Deploy Edge K8S Clusters	Pass	PCEI R6 Installation Guide
EMCO UI Access	Access EMCO UI	Pass	PCEI R6 Installation Guide

Test Procedure

[PCEI R6 Installation Guide](#)

[PCEI R5 End-to-End Validation Guide.](#)

Expected output

All tests pass

Test Results

Refer to sections of the following documents for detailed test results:

[PCEI R6 Installation Guide](#)

[PCEI R6 End-to-End Validation Guide.](#)

Feature Project Tests

NOT PERFORMED

The Test inputs

Test Procedure

Expected output

Test Results

BluVal Tests

The Test inputs

BluVal Test Environment setup according to:

[Bluval User Guide](#)

Test Procedure

1. Deploy a Test VM
2. Install Docker: <https://docs.docker.com/engine/install/ubuntu/>
3. Clone BluVal Validation Framework into the Test VM:
4. Copy SUT's .kube/config file and SSH key to the Test VM
5. Configure validation environment:

```
cd validation
vi bluval-pcei.yaml
blueprint:
  name: pcei
  layers:
    - os
    - docker
    - k8s
  # Any hardware some basic tests

os: &os_pcei
  -
    name: ltp
    what: ltp
    optional: "True"
```

```

-
  name: cyclicttest
  what: cyclicttest
  optional: "True"
-
  name: lynis
  what: lynis
  optional: "False"
-
  name: vuls
  what: vuls
  optional: "False"

docker: &docker_base
-
  name: docker_bench
  what: docker_bench
  optional: "True"

k8s: &k8s
-
  name: conformance
  what: conformance
  optional: "False"
-
  name: etcd_ha
  what: etcd_ha
  optional: "True"
-
  name: kube-hunter
  what: kube-hunter
  optional: "False"

cd /home/onaplab/validation/bluval
vi volumes.yaml
volumes:
  # location of the ssh key to access the cluster
  ssh_key_dir:
    local: '/home/onaplab/.ssh'
    target: '/root/.ssh'
  # location of the k8s access files (config file, certificates, keys)
  kube_config_dir:
    local: '/home/onaplab/kube'
    target: '/root/.kube/'
  # location of the customized variables.yaml
  custom_variables_file:
    local: '/home/onaplab/validation/tests/variables.yaml'
    target: '/opt/akraino/validation/tests/variables.yaml'
  # location of the bluval-<blueprint>.yaml file
  blueprint_dir:
    local: '/home/onaplab/validation/bluval'
    target: '/opt/akraino/validation/bluval'
  # location on where to store the results on the local jumpserver
  results_dir:
    local: '/home/onaplab/results'
    target: '/opt/akraino/results'
  # location on where to store openrc file
  openrc:
    local: ''
    target: '/root/openrc'

# parameters that will be passed to the container at each layer
layers:
  # volumes mounted at all layers; volumes specific for a different layer are below
  common:
    - custom_variables_file
    - blueprint_dir
    - results_dir
  hardware:
    - ssh_key_dir
  os:

```

```

- ssh_key_dir
networking:
- ssh_key_dir
docker:
- ssh_key_dir
k8s:
- ssh_key_dir
- kube_config_dir
k8s_networking:
- ssh_key_dir
- kube_config_dir
openstack:
- openrc
sds:
sdn:
vim:

```

```

cd /home/onaplab/validation/tests
vi variables.yaml
### Input variables cluster's master host
host: 10.121.7.147          # cluster's master host address
username: onaplab          # login name to connect to cluster
password: onaplab          # login password to connect to cluster
ssh_keyfile: /root/.ssh/id_rsa      # Identity file for authentication

```

6. Run BluVal Robot:

```

cd
bash validation/bluval/blucon.sh pcei

```

7. Install LFTOOLS:

```

sudo apt install python3-pip
sudo python3 -m pip install -U pip
sudo python3 -m pip install -U setuptools
sudo -H pip3 install --ignore-installed PyYAML

pip3 install lftools

```

8. Push BluVal Results to Akraino Nexus

```

# Create .netrc file
vi .netrc
machine nexus.akraino.org
login <LF ID>
password <Password>

# Archive log files
zip -r results.zip ./results

# Push logs to Nexus
NEXUS_PATH="/pcei/job/v2"
NEXUS_URL="https://nexus.akraino.org/"
/home/onaplab/.local/bin/lftools deploy nexus-zip $NEXUS_URL logs $NEXUS_PATH results.zip

```

Expected output

Test Results

<https://nexus.akraino.org/content/sites/logs/pcei/job/v2/results/>

Vuls

Vuls Report

Generated
20210108 16:07:57 UTC-05:00
2 days 1 hour ago

Summary Information

Status: All critical tests passed
Start Time: 20210108 16:07:30.825
End Time: 20210108 16:07:57.888
Elapsed Time: 00:00:27.063
Log File: [log.html](#)

Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	0	0	0	00:00:00	<div></div>
All Tests	1	0	1	00:00:25	<div></div>
Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
non-critical (non-critical)	1	0	1	00:00:25	<div></div>
Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
Vuls	1	0	1	00:00:27	<div></div>
Vuls.Vuls	1	0	1	00:00:27	<div></div>

CVEs Found:

CVE	CVSS	URL	Exception
CVE-2016-1585	9.8	https://nvd.nist.gov/vuln/detail/CVE-2016-1585	Requested by another BP
CVE-2017-18342	9.8	https://nvd.nist.gov/vuln/detail/CVE-2017-18342	Requested by another BP
CVE-2017-8283	9.8	https://nvd.nist.gov/vuln/detail/CVE-2017-8283	Requested by PCEI. Approved
CVE-2018-20839	9.8	https://nvd.nist.gov/vuln/detail/CVE-2018-20839	Requested by another BP
CVE-2019-17041	9.8	https://nvd.nist.gov/vuln/detail/CVE-2019-17041	Requested by another BP
CVE-2019-17042	9.8	https://nvd.nist.gov/vuln/detail/CVE-2019-17042	Requested by another BP
CVE-2019-19814	9.3	https://nvd.nist.gov/vuln/detail/CVE-2019-19814	Requested by PCEI. Approved

Lynis

Lynis Report

Generated
20210108 16:07:30 UTC-05:00
2 days 1 hour ago

Summary Information

Status: All critical tests passed
Start Time: 20210108 16:06:01.263
End Time: 20210108 16:07:30.383
Elapsed Time: 00:01:29.120
Log File: [log.html](#)

Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	0	0	0	00:00:00	
All Tests	1	0	1	00:01:25	

Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
non-critical (non-critical)	1	0	1	00:01:25	

Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
Lynis	1	0	1	00:01:29	
Lynis.Lynis	1	0	1	00:01:29	

Test Details

Totals Tags Suites Search

Type: ☐ Critical Tests
☐ All Tests

Fixes for Lynis:

BOOT-5122
<https://vineetcic.medium.com/how-to-set-grub-password-in-ubuntu-18-03-password-protect-boot-loader-ecb5db184054>

PASS_MAX_DAYS
<https://askubuntu.com/questions/424216/what-is-password-aging-limits>

```
vi /etc/login.defs
change
PASS_MAX_DAYS 1500
UNMASK 027
```

NOTE: changing the UNMASK value from default 022 to 027 resulted in the Lynis test suite erroring out. Requested Exception.

KRNL-6000
<https://linux-audit.com/understand-and-configure-core-dumps-work-on-linux/>
echo "fs.suid_dumpable=0" >> /etc/sysctl.conf
sysctl -p

```
sysctl -w kernel.dmesg_restrict=1
```

```
sysctl -w net.ipv4.conf.all.accept_source_route=0
```

K8S Conformance

Conformance Report

Generated
20210108 16:09:33 UTC-05:00
2 days 1 hour ago

Summary Information

Status:	1 critical test failed
Start Time:	20210108 16:08:04.419
End Time:	20210108 16:09:33.681
Elapsed Time:	00:01:29.262
Log File:	log.html

Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	0	1	00:01:29	
All Tests	1	0	1	00:01:29	

Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
non-critical (non-critical)	0	0	0	00:00:00	

Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
Conformance	1	0	1	00:01:29	
Conformance.Conformance	1	0	1	00:01:29	

Test Details

TotalsTagsSuitesSearch

Type:

☐ Critical Tests

☐ All Tests

Exception Requested:						
Sonobuoy/Conformance	PCEI	Ubuntu 18.04	Getting error message from BluVal robot: level=error msg="could not get tests from archive: failed to find results file \\"plugins/e2e/results/global/junit_01.xml\\" in archive" does not contain 'failed tests: 0'	@Oleg Berzin	oberzin@equinix.com	Further troubleshooting shows the Docker image for Sonobuoy does not get pulled: message": "Back-off pulling image \\"akraino/validation:kube-conformance-v1.14\\"" The Docker Hub does not have the image tagged akraino/validation:kube-conformance-v1.14

Kube-Hunter Report

Generated
20210108 16:09:59 UTC-05:00
2 days 2 hours ago

Summary Information

Status: All critical tests passed
Start Time: 20210108 16:09:34.205
End Time: 20210108 16:09:59.328
Elapsed Time: 00:00:25.123
Log File: [log.html](#)

Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	2	2	0	00:00:02	<div><div></div></div>
All Tests	3	2	1	00:00:25	<div><div></div></div>

Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
non-critical (non-critical)	1	0	1	00:00:23	<div><div></div></div>

Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
Kube-Hunter	3	2	1	00:00:25	<div><div></div></div>
Kube-Hunter . Kube-Hunter	3	2	1	00:00:25	<div><div></div></div>

Test Details

Totals Tags Suites Search

Type: ☐ Critical Tests
☐ All Tests

Vulnerabilities found

ID	Status
KHV002	Fixed
KHV005	Fixed
KHV050	Fixed
CAP_NET_RAW	Pending

Fix for KHV002:

On SUT K8S Cluster:

```
kubectl replace -f - <<EOF
apiVersion: rbac.authorization.k8s.io/v1
kind: ClusterRole
metadata:
  annotations:
    rbac.authorization.kubernetes.io/autoupdate: "false"
  labels:
    kubernetes.io/bootstrapping: rbac-defaults
  name: system:public-info-viewer
rules:
- nonResourceURLs:
  - /healthz
  - /livez
  - /readyz
  verbs:
  - get
EOF
```

Fix for KHV005, KHV050

On SUT K8S Cluster:

```
kubectl replace -f - <<EOF
apiVersion: v1
kind: ServiceAccount
metadata:
  name: default
  namespace: default
automountServiceAccountToken: false
EOF
```

Test Dashboards

Single pane view of how the test score looks like for the Blue print.

Test Group	Total Tests	Pass	Fail
Blueprint Extension Tests	9	9	0
Vuls	1	1	0
Lynis	1	1	0
K8S Conformance	1	0	1
Kube-Hunter	1	1	0

Additional Testing

None

Bottlenecks/Errata

Please refer to [PCEI R6 Release Notes](#)