# SDN Enabled Broadband Access (SEBA) for Telco Appliance Blueprint Family

**Project Technical Lead:** To Be Elected (For the interim, SEBA blueprint meetings are combined with Radio Edge Cloud Project Meetings under the Telco Appliance blueprint family)

Julie LORENTZEN, AT&T, Elected 8/27/19. Julie stepped down as PTL on 03 Feb 2020. Self-Nomination should be completed by 02/11/2020. Elections will be held 12 Feb 2020

Aaron Byrd. Elected 1/17/19. Aaron Byrd stepped down as PTL on 7/30/2019. Elections for new PTL will be held 8/26/19. Self-Nomination should be completed by 8/23/19.

#### Project Committers detail:

Initial Committers for a project will be specified at project creation. Committers have the right to commit code to the source code management system for that project.

A Contributor may be promoted to a Committer by the project's Committers after demonstrating a history of contributions to that project.

Candidates for the project's Project Technical Leader will be derived from the Committers of the Project. Candidates must self nominate by marking "Y" in the Self Nominate column below by Jan. 16th. Voting will take place January 17th.

Only Committers for a project are eligible to vote for a project's Project Technical Lead.

Please see Akraino Technical Community Document section 3.1.3 for more detailed information.

Committer	Committer	Committer		
	Company	Contact Info		
Deepak Kataria	AT&T	dd7022@us.att.com		
Alexandru Avadanii	Arm	alexandru.avadanii@enea.com		
Ciprian Barbu	Arm	ciprian.barbu@enea.com		
Jimmy Lafontaine Rivera	Cachengo	jimmy@cachengo.com		

Contributor	Contributor	Contributor	
	Company	Contact Info	
Mahir Gunyel	Netsia	mahir.gunyel@netsia.com	

### **Upstream SEBA Project information:**

SEBA project page (meeting times, mailing list, developer information): https://wiki.opencord.org/display/CORD/SEBA

SEBA Documentation: https://guide.opencord.org/

- Virtualized SEBA installation for testing and development w/o PON access hardware: SEBA-in-a-Box
- Hardware requirements
- API Documentation

For more information, please contact Zack Williams (contact info above), or post on the upstream SEBA project mailing list.

### Use Case Details:

Case Attributes	Description	Informational
Туре	New blueprint for fixed wireline access within Telco Appliance Blueprint family	

Blueprint Family - Proposed Name	Telco Appliance		
Use Case	Virtual broadband access (XGS-PON - Higher bandwidth, symmetric version of GPON)		
Blueprint proposed Name	SDN Enabled Broadband Access (SEBA)		
Scale & Type	3 servers per POD		
	x86 and Arm (with 8-16 cores each)		
Applications	Virtual broadband access – vOLT access & aggregation (5000 edge locations)		
Power Restrictions	Less than 1 kW. NEBS and 48V DC		
Infrastructure orchestration	OS - CentOS		
	Docker / K8 - Container Orchestration		
	DANM		
	Open Network Operating System (ONOS) and XOS		
	VOLTHA (Virtual Optical Line Terminal Hardware Abstraction - CORD project)		
	Network Edge Mediator (NEM)		
	ONAP		
	EMS/NMS Adaptor		
SDN	ONOS		
	OF & Redfish		
Workload Type	Containers		
Additional Details	Akraino based community blueprint, Full Automation	See attachment for additional	
	Cloud layer hardened for production	details	
	Current SEBA POD contains network elements, compute nodes, and software components.		
	Aggregation and management switches Three compute nodes required for K8 redundancy About twenty containers running ONOS, XOS, VOLTHA, NEM, etc Supports up to 16 OLTs.		

## Presentation:

